



Friday, August 10, 2012

Attn: Mr. Darrick Jones
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Project ID: SATIN
Sample ID#s: BC14724 - BC14730

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory. All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Phyllis Shiller".

Phyllis Shiller
Laboratory Director

NELAC - #NY11301
CT Lab Registration #PH-0618
MA Lab Registration #MA-CT-007
ME Lab Registration #CT-007
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003
NY Lab Registration #11301
PA Lab Registration #68-03530
RI Lab Registration #63
VT Lab Registration #VT11301



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

August 10, 2012

FOR: Attn: Mr. Darrick Jones
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-PCB
Rush Request: 48 Hour
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

07/23/12 13:30
07/24/12 15:50

Laboratory Data

SDG ID: GBC14710
Phoenix ID: BC14724

Project ID: SATIN
Client ID: N-172 0-.5

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	93		%	08/07/12	JL	E160.3
Extraction for PCB	Completed			08/07/12	QB/K	SW3540C

PCB (Soxhlet)

PCB-1016	ND	0.35	mg/Kg	08/08/12	AW	3540C/8082
PCB-1221	ND	0.35	mg/Kg	08/08/12	AW	3540C/8082
PCB-1232	ND	0.35	mg/Kg	08/08/12	AW	3540C/8082
PCB-1242	ND	0.35	mg/Kg	08/08/12	AW	3540C/8082
PCB-1248	ND	0.35	mg/Kg	08/08/12	AW	3540C/8082
PCB-1254	ND	0.35	mg/Kg	08/08/12	AW	3540C/8082
PCB-1260	ND	0.35	mg/Kg	08/08/12	AW	3540C/8082
PCB-1262	ND	0.35	mg/Kg	08/08/12	AW	3540C/8082
PCB-1268	ND	0.35	mg/Kg	08/08/12	AW	3540C/8082

QA/QC Surrogates

% DCBP	80	%	08/08/12	AW	30 - 150 %
% TCMX	85	%	08/08/12	AW	30 - 150 %

Project ID: SATIN
Client ID: N-172 0-.5

Phoenix I.D.: BC14724

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
-----------	--------	------------	-------	-----------	----	-----------

RL/PQL=Reporting/Pratical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

August 10, 2012

Reviewed and Released by: Kathleen Cressia, QA/QC Officer



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

August 10, 2012

FOR: Attn: Mr. Darrick Jones
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-PCB
Rush Request: 48 Hour
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

07/23/12 13:31
07/24/12 15:50

Laboratory Data

SDG ID: GBC14710
Phoenix ID: BC14725

Project ID: SATIN
Client ID: N-172 .5-1

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	92		%	08/07/12	JL	E160.3
Extraction for PCB	Completed			08/07/12	QB/K	SW3540C

PCB (Soxhlet)

PCB-1016	ND	0.36	mg/Kg	08/08/12	AW	3540C/8082
PCB-1221	ND	0.36	mg/Kg	08/08/12	AW	3540C/8082
PCB-1232	ND	0.36	mg/Kg	08/08/12	AW	3540C/8082
PCB-1242	ND	0.36	mg/Kg	08/08/12	AW	3540C/8082
PCB-1248	ND	0.36	mg/Kg	08/08/12	AW	3540C/8082
PCB-1254	ND	0.36	mg/Kg	08/08/12	AW	3540C/8082
PCB-1260	ND	0.36	mg/Kg	08/08/12	AW	3540C/8082
PCB-1262	ND	0.36	mg/Kg	08/08/12	AW	3540C/8082
PCB-1268	ND	0.36	mg/Kg	08/08/12	AW	3540C/8082

QA/QC Surrogates

% DCBP	80	%	08/08/12	AW	30 - 150 %
% TCMX	74	%	08/08/12	AW	30 - 150 %

Project ID: SATIN
Client ID: N-172 .5-1

Phoenix I.D.: BC14725

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
-----------	--------	------------	-------	-----------	----	-----------

RL/PQL=Reporting/Pratical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

August 10, 2012

Reviewed and Released by: Kathleen Cressia, QA/QC Officer



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

August 10, 2012

FOR: Attn: Mr. Darrick Jones
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-PCB
Rush Request: 48 Hour
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

07/23/12 13:32
07/24/12 15:50

Laboratory Data

SDG ID: GBC14710
Phoenix ID: BC14726

Project ID: SATIN
Client ID: N-172 1-2

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	94		%	08/07/12	JL	E160.3
Extraction for PCB	Completed			08/07/12	QB/K	SW3540C

PCB (Soxhlet)

PCB-1016	ND	0.35	mg/Kg	08/08/12	AW	3540C/8082
PCB-1221	ND	0.35	mg/Kg	08/08/12	AW	3540C/8082
PCB-1232	ND	0.35	mg/Kg	08/08/12	AW	3540C/8082
PCB-1242	ND	0.35	mg/Kg	08/08/12	AW	3540C/8082
PCB-1248	ND	0.35	mg/Kg	08/08/12	AW	3540C/8082
PCB-1254	ND	0.35	mg/Kg	08/08/12	AW	3540C/8082
PCB-1260	ND	0.35	mg/Kg	08/08/12	AW	3540C/8082
PCB-1262	ND	0.35	mg/Kg	08/08/12	AW	3540C/8082
PCB-1268	ND	0.35	mg/Kg	08/08/12	AW	3540C/8082

QA/QC Surrogates

% DCBP	101	%	08/08/12	AW	30 - 150 %
% TCMX	98	%	08/08/12	AW	30 - 150 %

Project ID: SATIN
Client ID: N-172 1-2

Phoenix I.D.: BC14726

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
-----------	--------	------------	-------	-----------	----	-----------


RL/PQL=Reporting/Pratical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

August 10, 2012

Reviewed and Released by: Kathleen Cressia, QA/QC Officer



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

August 10, 2012

FOR: Attn: Mr. Darrick Jones
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-PCB
Rush Request: 48 Hour
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

07/23/12 13:33
07/24/12 15:50

Laboratory Data

SDG ID: GBC14710
Phoenix ID: BC14727

Project ID: SATIN
Client ID: N-172 2-3

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	94		%	08/07/12	JL	E160.3
Extraction for PCB	Completed			08/07/12	QB/K	SW3540C

PCB (Soxhlet)

PCB-1016	ND	0.34	mg/Kg	08/08/12	AW	3540C/8082
PCB-1221	ND	0.34	mg/Kg	08/08/12	AW	3540C/8082
PCB-1232	ND	0.34	mg/Kg	08/08/12	AW	3540C/8082
PCB-1242	ND	0.34	mg/Kg	08/08/12	AW	3540C/8082
PCB-1248	ND	0.34	mg/Kg	08/08/12	AW	3540C/8082
PCB-1254	ND	0.34	mg/Kg	08/08/12	AW	3540C/8082
PCB-1260	ND	0.34	mg/Kg	08/08/12	AW	3540C/8082
PCB-1262	ND	0.34	mg/Kg	08/08/12	AW	3540C/8082
PCB-1268	ND	0.34	mg/Kg	08/08/12	AW	3540C/8082

QA/QC Surrogates

% DCBP	72	%	08/08/12	AW	30 - 150 %
% TCMX	71	%	08/08/12	AW	30 - 150 %

Project ID: SATIN
Client ID: N-172 2-3

Phoenix I.D.: BC14727

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
-----------	--------	------------	-------	-----------	----	-----------

RL/PQL=Reporting/Pratical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

August 10, 2012

Reviewed and Released by: Kathleen Cressia, QA/QC Officer



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

August 10, 2012

FOR: Attn: Mr. Darrick Jones
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-PCB
Rush Request: 48 Hour
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

07/23/12 13:45
07/24/12 15:50

Laboratory Data

SDG ID: GBC14710
Phoenix ID: BC14728

Project ID: SATIN
Client ID: N-172 5-6

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	90		%	08/07/12	JL	E160.3
Extraction for PCB	Completed			08/07/12	QB/K	SW3540C

PCB (Soxhlet)

PCB-1016	ND	0.36	mg/Kg	08/08/12	AW	3540C/8082
PCB-1221	ND	0.36	mg/Kg	08/08/12	AW	3540C/8082
PCB-1232	ND	0.36	mg/Kg	08/08/12	AW	3540C/8082
PCB-1242	ND	0.36	mg/Kg	08/08/12	AW	3540C/8082
PCB-1248	ND	0.36	mg/Kg	08/08/12	AW	3540C/8082
PCB-1254	ND	0.36	mg/Kg	08/08/12	AW	3540C/8082
PCB-1260	ND	0.36	mg/Kg	08/08/12	AW	3540C/8082
PCB-1262	ND	0.36	mg/Kg	08/08/12	AW	3540C/8082
PCB-1268	ND	0.36	mg/Kg	08/08/12	AW	3540C/8082

QA/QC Surrogates

% DCBP	68	%	08/08/12	AW	30 - 150 %
% TCMX	79	%	08/08/12	AW	30 - 150 %

Project ID: SATIN
Client ID: N-172 5-6

Phoenix I.D.: BC14728

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
-----------	--------	------------	-------	-----------	----	-----------

RL/PQL=Reporting/Pratical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

August 10, 2012

Reviewed and Released by: Kathleen Cressia, QA/QC Officer



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

August 10, 2012

FOR: Attn: Mr. Darrick Jones
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-PCB
Rush Request: 48 Hour
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

07/23/12 13:46
07/24/12 15:50

Laboratory Data

SDG ID: GBC14710
Phoenix ID: BC14729

Project ID: SATIN
Client ID: N-172 6-7

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	81		%	08/07/12	JL	E160.3
Extraction for PCB	Completed			08/07/12	QB/K	SW3540C

PCB (Soxhlet)

PCB-1016	ND	0.4	mg/Kg	08/08/12	AW	3540C/8082
PCB-1221	ND	0.4	mg/Kg	08/08/12	AW	3540C/8082
PCB-1232	ND	0.4	mg/Kg	08/08/12	AW	3540C/8082
PCB-1242	ND	0.4	mg/Kg	08/08/12	AW	3540C/8082
PCB-1248	ND	0.4	mg/Kg	08/08/12	AW	3540C/8082
PCB-1254	ND	0.4	mg/Kg	08/08/12	AW	3540C/8082
PCB-1260	ND	0.4	mg/Kg	08/08/12	AW	3540C/8082
PCB-1262	ND	0.4	mg/Kg	08/08/12	AW	3540C/8082
PCB-1268	ND	0.4	mg/Kg	08/08/12	AW	3540C/8082

QA/QC Surrogates

% DCBP	74	%	08/08/12	AW	30 - 150 %
% TCMX	83	%	08/08/12	AW	30 - 150 %

Project ID: SATIN
Client ID: N-172 6-7

Phoenix I.D.: BC14729

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
-----------	--------	------------	-------	-----------	----	-----------

RL/PQL=Reporting/Pratical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

August 10, 2012

Reviewed and Released by: Kathleen Cressia, QA/QC Officer



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

August 10, 2012

FOR: Attn: Mr. Darrick Jones
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-PCB
Rush Request: 48 Hour
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date

07/23/12
07/24/12

Time

13:47
15:50

Laboratory Data

SDG ID: GBC14710
Phoenix ID: BC14730

Project ID: SATIN
Client ID: N-172 7-8

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	85		%	08/07/12	JL	E160.3
Extraction for PCB	Completed			08/07/12	QB/K	SW3540C

PCB (Soxhlet)

PCB-1016	ND	0.38	mg/Kg	08/08/12	AW	3540C/8082
PCB-1221	ND	0.38	mg/Kg	08/08/12	AW	3540C/8082
PCB-1232	ND	0.38	mg/Kg	08/08/12	AW	3540C/8082
PCB-1242	ND	0.38	mg/Kg	08/08/12	AW	3540C/8082
PCB-1248	ND	0.38	mg/Kg	08/08/12	AW	3540C/8082
PCB-1254	ND	0.38	mg/Kg	08/08/12	AW	3540C/8082
PCB-1260	ND	0.38	mg/Kg	08/08/12	AW	3540C/8082
PCB-1262	ND	0.38	mg/Kg	08/08/12	AW	3540C/8082
PCB-1268	ND	0.38	mg/Kg	08/08/12	AW	3540C/8082

QA/QC Surrogates

% DCBP	60	%	08/08/12	AW	30 - 150 %
% TCMX	72	%	08/08/12	AW	30 - 150 %

Project ID: SATIN
Client ID: N-172 7-8

Phoenix I.D.: BC14730

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
-----------	--------	------------	-------	-----------	----	-----------

RL/PQL=Reporting/Pratical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

August 10, 2012

Reviewed and Released by: Kathleen Cressia, QA/QC Officer



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

August 10, 2012

QA/QC Data

SDG I.D.: GBC14710

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 206593, QC Sample No: BC51081 (BC14724, BC14725, BC14726, BC14727, BC14728, BC14729, BC14730)									
<u>Polychlorinated Biphenyls - Solid</u>									
PCB-1016	ND	83	85	2.4				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	81	74	9.0				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	69	71	70	1.4				30 - 150	30
% TCMX (Surrogate Rec)	66	76	79	3.9				30 - 150	30

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria

Intf - Interference

Phyllis Shiller, Laboratory Director
August 10, 2012

Friday, August 10, 2012

Requested Criteria: GBM, RC

State: CT

Sample Criteria Exceedences Report

GBC14710 - LBG-PCB

Page 1 of 1

SampNo	Acode	Phoenix Analyte	Criteria	Result	RL	Criteria	RL Criteria	Analysis Units
--------	-------	-----------------	----------	--------	----	----------	----------------	-------------------

*** No Data to Display ***

Phoenix Laboratories does not assume responsibility for the data contained in this report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.

Reasonable Confidence Protocol Laboratory Analysis QA/QC Certification Form

Laboratory Name: Phoenix Environmental Labs, Inc. **Client:** LBG-PCB

Project Location: SATIN **Project Number:**

Laboratory Sample ID(s): BC14710, BC14711, BC14712, BC14713, BC14714, BC14715, BC14716, BC14717, BC14718, BC14719, BC14720, BC14721, BC14722, BC14723, BC14724, BC14725, BC14726, BC14727, BC14728, BC14729, BC14730

Sampling Date(s): 7/23/2012

RCP Methods Used:

☐ 1311/1312 ☐ 6010 ☐ 7000 ☐ 7196 ☐ 7470/7471 ☐ 8081 ☐ EPH ☐ TO15
☒ 8082 ☐ 8151 ☐ 8260 ☐ 8270 ☐ ETPH ☐ 9010/9012 ☐ VPH

1.	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed, including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the CT DEP method-specific Reasonable Confidence Protocol documents?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
1a.	Were the method specified preservation and holding time requirements met?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
1b.	EPH and VPH methods only: Was the VPH or EPH method conducted without significant modifications (see section 11.3 of respective RCP methods)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA
2.	Were all samples received by the laboratory in a condition consistent with that described on the associated Chain-of-Custody document(s)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
3.	Were samples received at an appropriate temperature (< 6 Degrees C)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
4.	Were all QA/QC performance criteria specified in the Reasonable Confidence Protocol documents achieved?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
5a.	Were reporting limits specified or referenced on the chain-of-custody?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
5b.	Were these reporting limits met?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
6.	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists presented in the Reasonable Confidence Protocol documents?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
7.	Are project-specific matrix spikes and laboratory duplicates included in the data set?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA

Note: For all questions to which the response was "No" (with the exception of question #5a, #7), additional information must be provided in an attached narrative. If the answer to question #1, #1A or 1B is "No", the data package does not meet the requirements for "Reasonable Confidence".

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete.

Authorized
Signature:

Kathleen Cressia

Date: Friday, August 10, 2012

Printed Name: Kathleen Cressia

Position: QA/QC Officer



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



RCP Certification Report

August 10, 2012

SDG ID.: GBC14710

PCB Narration

Were all QA/QC performance criteria specified in the Reasonable Confidence Protocol documents achieved? Yes.

Instrument: Au-ecd1 08/08/12-1 (BC14724, BC14725)

8082 Narration:

The initial calibration RSD for the compound list was less than 15% except for the following compounds: none

The continuing calibration standards were within acceptance criteria except for the following compounds: none

Printed Name Adam Werner

Position: Chemist

Date: 8/8/2012

Instrument: Au-ecd24 08/08/12-1 (BC14729, BC14730)

Printed Name Adam Werner

Position: Chemist

Date: 8/8/2012

Instrument: Au-ecd3 08/08/12-1 (BC14729, BC14730)

8082 Narration:

The initial calibration RSD for the compound list was less than 15% except for the following compounds: none

The continuing calibration standards were within acceptance criteria except for the following compounds: none

Printed Name Adam Werner

Position: Chemist

Date: 8/8/2012

Instrument: Au-ecd5 08/08/12-1 (BC14727, BC14728)

8082 Narration:

The initial calibration RSD for the compound list was less than 15% except for the following compounds: none

The continuing calibration standards were within acceptance criteria except for the following compounds: none

Printed Name Adam Werner

Position: Chemist

Date: 8/8/2012



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



RCP Certification Report

August 10, 2012

SDG ID.: GBC14710

Instrument: Au-ecd6 08/08/12-1 (BC14726)

8082 Narration:

The initial calibration RSD for the compound list was less than 15% except for the following compounds: none

The continuing calibration standards were within acceptance criteria except for the following compounds: none

Printed Name Adam Werner

Position: Chemist

Date: 8/8/2012

QC (Batch Specific)

----- Sample No: BC51081, QA/QC Batch: 206593 -----

All LCS recoveries were within 40 - 140 with the following exceptions: None.

All LCSD recoveries were within 40 - 140 with the following exceptions: None.

All LCS/LCSD RPDs were less than 30% with the following exceptions: None.

WLC+TP

CHAIN OF CUSTODY RECORD

Temp 6° Pg 5 of 6



587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
 Email: info@phoenixlabs.com Fax (860) 645-0823
 Client Services (860) 645-8726

Data Delivery:

☐ Fax #

☒ Email

Email: djones@lbyct.com

Customer: LBG, IncAddress: 6 Executive Drive
Farmington CT
Project: SatinReport to: Derrick JonesInvoice to: " "

Project P.O.:

Phone #:

Fax #:

Sampler's
Signature

Client Sample - Information - Identification

Date: 7-23-12

Matrix Code:
 DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water
 SE=Sediment SL=Sudge S=Soil/Solid W=Wipe O=Other

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled
14710	N-169(2-3)	S	7-23-12	1233
14711	N-169(3-35)			1234
14712	N-169(5-6)			1240
14713	N-169(6-7)			1241
14714	N-170(0-5)			1250
14715	N-170(5-10)			1251
14716	N-170(5-6)			1300
14717	N-170(6-7)			1301
14718	N-171(0-5)			1310
14719	N-171(5-1)			1311
14720	N-171(1-2)			1312
14721	N-171(2-3)			1313

Relinquished by: [Signature]Accepted by: [Signature]Date: 7-23-12Time: 9:50Time: 7:24Time: 12:50

Comments, Special Requirements or Regulations:

Turnaround:

☐ 1 Day*

☐ 2 Days*

☐ 3 Days*

☒ Standard

☐ Other

* SURCHARGE APPLIES

State where samples were collected: CT

* SURCHARGE APPLIES

Analysis Request

Analysis Request
 Requested by: See Lab Express

GL VOA Vals [methanol] H2O	
GL Soil container [methanol] H2O	
GL VOA Vals [methanol] H2O	
GL Soil container [methanol] H2O	
GL Amber 1000ml [As is] HCl	
PL As is [] 250ml [] 500ml [] 1000ml	
PL H2SO4 [] 250ml [] 500ml [] 1000ml	
PL HNO3 250ml [] 500ml [] 1000ml	
Bacteria Bottle	

Data Format

☒ Excel

☒ PDF

☐ GIS/Key

☐ EQUIS

☐ Other

Data Package

☐ Tier II Checklist

☐ Full Data Package*

☐ Phoenix Std Report

☐ Other

MA

☐ MCP Certification

☐ GW-1

☐ GW-2

☐ GW-3

☐ S-1

☐ S-2

☐ S-3

☐ MWRA eSMART

☐ Other

CT

☒ RCP Cert

☐ GW Protection

☐ SW Protection

☐ GA Mobility

☒ GB Mobility

☒ Residential DEC

☐ I/C DEC

☐ Other

RI

☐ Direct Exposure (Residential)

☐ GW

☐ Other

WLC+TP

CHAIN OF CUSTODY RECORD

Temp 60 Pg 6 of 6



587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
 Email: info@phoenixlabs.com Fax (860) 645-0823
 Client Services (860) 645-8726

Data Delivery:

☐ Fax #

☒ Email

D Jones @ lbg.ct.com

Customer:

LBB, Inc

Address:

6 Executive Drive
 Farmington, CT

Project:

Sabin

Report to:

Derrick Deiner

Invoice to:

Project P.O.:

Phone #:

Fax #:

Sampler's
Signature

Client Sample - Information - Identification

Date: 7-23-12

Matrix Code:

DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water
 SE=Sediment SL=Sludge S=Soil/Solid W=Wipe O=Other

PHOENIX USE ONLY

SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled
14722	N-171(5-6)			1320
14723	N-171(6-7)			1321
14724	N-172(0-5)			1330
14725	N-172(5-1)			1331
14726	N-172(1-2)			1332
14727	N-172(2-3)			1333
14728	N-172(5-6)			1345
14729	N-172(6-7)			1346
14730	N-172(7-8)			1347

Analysis Request

Res by Sabin + extra

Soil VOA Vals [] methanol [] H ₂ O	
GL Soil container [] oz	
GL Amber 1000ml [] As is [] HCl	
PL As is [] 250ml [] 500ml [] 1000ml	
PL H ₂ SO ₄ [] 250ml [] 500ml [] 1000ml	
PL HNO ₃ 250ml [] 500ml [] 1000ml	
Bacteria Bottle	

Relinquished by:

Accepted by:

Date:

Time:

RI

Direct Exposure (Residential)

GW

Other

CT

RCP Cert

GW Protection

SW Protection

GA Mobility

GB Mobility

Residential DEC

I/C DEC

Other

MA

MCP Certification

GW-1

GW-2

GW-3

S-1

S-2

S-3

MWRA eSMART

Other

Data Format

Excel

PDF

GIS/Key

EQUIS

Other

Comments, Special Requirements or Regulations:

Turnaround:

1 Day*

2 Days*

3 Days*

Standard

Other

* SURCHARGE APPLIES

State where samples were collected: CT

* SURCHARGE APPLIES

Bobbi - Phoenixlabs

From: Darrick Jones [djones@lbgct.com]
Sent: Tuesday, August 07, 2012 9:28 AM
To: Bobbi - Phoenixlabs
Subject: RE: Satin Samples
standard

From: Bobbi - Phoenixlabs [mailto:bobbi@phoenixlabs.com]
Sent: Tuesday, August 07, 2012 9:13 AM
To: Darrick Jones
Subject: RE: Satin Samples

Darrick-
What TAT do you need for these? Loreen

Bobbi Aloisa
Vice President
Director of Client Services
Phoenix Environmental Laboratories
587 East Middle Turnpike
Manchester, CT 06040
Ph: 860-645-8728

This message is intended only for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential, and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient, or the employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution, forwarding, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately by e-mail or telephone, and delete the original message immediately.

From: Darrick Jones [mailto:djones@lbgct.com]
Sent: Tuesday, August 07, 2012 9:22 AM
To: Bobbi - Phoenixlabs
Subject: Satin Samples

Bobbi,
Please run the following samples for PCBs by Soxhlet extraction method:

GBC14666 through 14671
GBC14672 through 14675
GBC14676 through 14680
GBC14690 through 41697
GBC14681 through 14684

8/7/2012

GBC14724 through 14730

Thank you,
Darrick

Darrick Jones, LEP
Leggette, Brashears & Graham, Inc.
6 Executive Drive
Farmington, CT 06032
Office: (860) 678-0404
Fax: (860)678-0606
Cell: (860)214-4747
email: djones@lbgct.com

This email has been scanned by the Symantec Email Security.cloud service.
For more information please visit <http://www.symanteccloud.com>

This email has been scanned by the Symantec Email Security.cloud service.
For more information please visit <http://www.symanteccloud.com>

This email has been scanned by the Symantec Email Security.cloud service.
For more information please visit <http://www.symanteccloud.com>

8/7/2012

Bobbi - Phoenixlabs

From: Darrick Jones [djones@lbgct.com]
Sent: Tuesday, August 07, 2012 4:08 PM
To: bobbi@phoenixlabs.com
Subject: Re: Satin Samples

Anything like 24 to 72 hr is fine

Sent from my Verizon Wireless Phone

----- Reply message -----

From: "Bobbi - Phoenixlabs" <bobbi@phoenixlabs.com>
Date: Tue, Aug 7, 2012 3:56 pm
Subject: Satin Samples
To: "Darrick Jones" <djones@lbgct.com>

Darrick-checking.....Loreen

Bobbi Aloisa
Vice President
Director of Client Services
Phoenix Environmental Laboratories
587 East Middle Turnpike
Manchester, CT 06040
Ph: 860-645-8728

This message is intended only for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential, and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient, or the employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution, forwarding, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately by e-mail or telephone, and delete the original message immediately.

From: Darrick Jones [mailto:djones@lbgct.com]
Sent: Tuesday, August 07, 2012 3:40 PM
To: bobbi@phoenixlabs.com
Subject: Re: Satin Samples

Can we change that to ASAP?

Sent from my Verizon Wireless Phone

----- Reply message -----

From: "Bobbi - Phoenixlabs" <bobbi@phoenixlabs.com>

8/7/2012

Date: Tue, Aug 7, 2012 9:27 am
Subject: Satin Samples
To: "Darrick Jones" <djones@lbgct.com>

Darrick-
What TAT do you need for these? Loreen

Bobbi Aloisa
Vice President
Director of Client Services
Phoenix Environmental Laboratories
587 East Middle Turnpike
Manchester, CT 06040
Ph: 860-645-8728

This message is intended only for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential, and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient, or the employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution, forwarding, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately by e-mail or telephone, and delete the original message immediately.

From: Darrick Jones [mailto:djones@lbgct.com]
Sent: Tuesday, August 07, 2012 9:22 AM
To: Bobbi - Phoenixlabs
Subject: Satin Samples

Bobbi,
Please run the following samples for PCBs by Soxhlet extraction method:

GBC14666 through 14671
GBC14672 through 14675
GBC14676 through 14680
GBC14690 through 41697
GBC14681 through 14684
GBC14724 through 14730

Thank you,
Darrick

Darrick Jones, LEP
Leggette, Brashears & Graham, Inc.
6 Executive Drive
Farmington, CT 06032
Office: (860) 678-0404

8/7/2012